

TOLON

Washer Extractor

TWE 40 · 60 · 110

40 KG · 60 KG · 110 KG

FEATURES

- Freestanding high spin, 360G extraction
- 7 inch colour display
- 180 degree door opening
- Liquid dosing connections standard
- Ceramic coated shaft for longer life
- High flow inlet valves for fast filling
- Accelerometer for perfect balancing
- Status light
- Robust construction for high use sites



Washer Extractor

TWE 40 · 60 · 110

40 KG · 60 KG · 110 KG

	TWE 40	TWE 60	TWE 110
Dry Load	40 kg	60 kg	110 kg
Performance	60 kg/h	90 kg/h	165 kg/h
Cycle Time	30 - 45 min	30 - 45 min	30 - 45 min
Dimensions (WxDxH)	1175 × 1405 × 1690 mm	1745 × 1570 × 1910 mm	1910 × 2040 × 2060 mm
Weight (net)	1025 kg	1925 kg	3950 kg
DRUM			
Diameter	900 mm	1100 mm	1300 mm
Depth	575 mm	610 mm	830 mm
Volume	365 L	579 L	1101 L
Wash Speed	35 rpm	34 rpm	29 rpm
Extraction Speed	847 rpm	766 rpm	705 rpm
G-force	360	360	360
DOOR			
Door Opening	560 mm	550 mm	675 mm
HEATING			
Electric	30 kw	30 kw	60 kw
Steam	4-6 bar	4-6 bar	4-6 bar
ELECTRIC			
Electric Consumption*	8,93 kw	26,25 kw	52,5 kw
Motor	5,5 kw	11 kw	22 kw
STEAM			
Steam Valve Connection Ø	¾" DN-BSP	1" DN-BSP	1½" DN-BSP
Steam Pressure	400-600 kPa	400-600 kPa	400-600 kPa
Steam consumption	20 kg/cycle	28 kg/cycle	50 kg/cycle
AIR			
Air connection Ø	Optional / 8 mm	Optional / 10 mm	Optional / 10 mm
WATER			
Inlet Valve Connection Ø	¾" DN-BSP	1" DN-BSP	2" DN-BSP
Water Inlet (detergent) Ø	-	1" DN-BSP	1" DN-BSP
Water Pressure	200-400 kPa	200-400 kPa	200-400 kPa
Water Flow	140 l/min	160 l/min	540 l/min
Water Consumption* (l/cycle)	Cold 110 Hot 147	Cold 175 Hot 232	Cold 310 Hot 395
Drain Valve Connection ø (outer)	76 mm	76 mm	114 mm
Drain Flow	230 l/min	230 l/min	600 l/min
SOUND LEVEL			
db(A)	55-65	67-77	70-77

* Consumption figures based on 'Eco 60°C' program (main wash, 2 rinses)

TOLON reserves the right to make changes to the machines and the specifications in this datasheet at any time, without prior notice.

Details and photographs are only for informational purposes and are never binding.